






EloPos 15.6" WITH STAND


(SEE PG.2 FOR NO STAND VERSION)
(SEE PG.3 FOR CUSTOMER DISPLAY OPTION)

(SEE PG.4 FOR 15" VERSION)
(SEE PG.5 FOR 22" VERSION)




I/O DEFINITION FOR ALL STAND AND HUB MODELS



EloPos 15.6" NO STAND, WITH HUB



15.6" WITH HUB NOT ATTACHED TO BACK





15.6" WITH HUB ATTACHED TO BACK






EloPos WITH REAR-FACING DISPLAY MOUNT

(FOR ALL MODELS)






EloPos 15" WITH STAND

(SEE PG.2 FOR NO STAND VERSION)
(SEE PG.3 FOR CUSTOMER DISPLAY OPTION)






SEE PG.1 FOR I/O DEFINITION FOR STAND AND HUB MODELS




EloPos 22" WITH STAND

(SEE PG.6 FOR NO STAND VERSION)
(SEE PG.2 FOR CUSTOMER DISPLAY OPTION)






SEE PG.1 FOR I/O DEFINITION FOR STAND AND HUB MODELS




EloPos 22" NO STAND, WITH HUB

22" WITH HUB NOT ATTACHED TO BACK




M4,
MIN. SCREW DEPTH FROM MOUNT SURFACE = 14mm
MAX. SCREW LENGTH = 10mm,
X8
SEE PG.2 FOR I/O DEFINITION

22" WITH HUB ATTACHED TO BACK



SEE PG. 2 FOR HUB DIMENSIONS
AND I/O DEFINITION



M4,
MAX. SCREW DEPTH FROM
MOUNT SURFACE = 6mm
X4